



Preventable Hospitalizations 2006

Diabetes Short-Term Complications Admissions (PQI 1)

Central Miami-Dade

Legend

Admissions Rate per
100,000 Population (Age 18+)



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|-------------------------|--|
| East Central Miami-Dade | 94 | 51.2 |
| 33125 | 22 | 54.0 |
| 33128 | 1 | 18.5 |
| 33129 | 3 | 29.2 |
| 33130 | 11 | 60.6 |
| 33131 | 1 | 20.1 |
| 33132 | 4 | 64.9 |
| 33133 | 6 | 23.4 |
| 33135 | 20 | 67.7 |
| 33136 | 16 | 163.9 |
| 33145 | 9 | 36.6 |
| 33149 | 1 | 12.0 |
| West Central Miami-Dade | 21 | 21.7 |
| 33134 | 6 | 20.1 |
| 33143 | 9 | 36.2 |
| 33146 | 0 | 0.0 |
| 33173 | 6 | 19.6 |
| Total Central Miami-Dade | 115 | 41.1 |
| Miami-Dade County | 846 | 45.2 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Perforated Appendix Admissions (PQI 2) Central Miami-Dade

Legend

Percent All Admissions for Appendicitis



| | Number of Admissions for Appendicitis | Percent All Admissions for Appendicitis |
|---------------------------------|---|---|
| East Central Miami-Dade | 45 | 22.8 |
| 33125 | 12 | 30.0 |
| 33128 | 1 | 20.0 |
| 33129 | 2 | 14.3 |
| 33130 | 7 | 30.4 |
| 33131 | 0 | 0.0 |
| 33132 | 1 | 33.3 |
| 33133 | 5 | 26.3 |
| 33135 | 8 | 30.8 |
| 33136 | 3 | 20.0 |
| 33145 | 3 | 10.0 |
| 33149 | 3 | 27.3 |
| West Central Miami-Dade | 15 | 19.2 |
| 33134 | 4 | 15.4 |
| 33143 | 5 | 31.3 |
| 33146 | 2 | 15.4 |
| 33173 | 4 | 17.4 |
| Total Central Miami-Dade | 60 | 21.8 |
| Miami-Dade County | 467 | 22.5 |

Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI



Preventable Hospitalizations 2006

Diabetes Long-Term Complications Admissions (PQI 3)

Central Miami-Dade

Legend

Admissions Rate per 100,000 Population (Age 18+)



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|----------------------|----------------------------------|
| East Central Miami-Dade | 248 | 135.1 |
| 33125 | 49 | 120.2 |
| 33128 | 20 | 369.9 |
| 33129 | 13 | 126.6 |
| 33130 | 31 | 170.8 |
| 33131 | 1 | 20.1 |
| 33132 | 3 | 48.7 |
| 33133 | 29 | 113.2 |
| 33135 | 50 | 169.3 |
| 33136 | 26 | 266.3 |
| 33145 | 24 | 97.7 |
| 33149 | 2 | 24.0 |
| West Central Miami-Dade | 69 | 71.4 |
| 33134 | 28 | 93.9 |
| 33143 | 22 | 88.5 |
| 33146 | 2 | 17.7 |
| 33173 | 17 | 55.5 |
| Total Central Miami-Dade | 317 | 113.2 |
| Miami-Dade County | 2,228 | 119.1 |

Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI



Preventable Hospitalizations 2006

Pediatric Asthma Admissions (PDI 14; Previously PQI 4)

Central Miami-Dade

Legend

Admissions Rate per 100,000 Population (Age <18)



| | Number of Admissions | Admissions per 100,000 (Age 18<) |
|---------------------------------|----------------------|----------------------------------|
| East Central Miami-Dade | 110 | 244.2 |
| 33125 | 36 | 322.5 |
| 33128 | 3 | 216.5 |
| 33129 | 3 | 188.9 |
| 33130 | 5 | 108.2 |
| 33131 | 0 | 0.0 |
| 33132 | 0 | 0.0 |
| 33133 | 12 | 211.9 |
| 33135 | 21 | 295.4 |
| 33136 | 22 | 543.7 |
| 33145 | 6 | 109.0 |
| 33149 | 2 | 67.6 |
| West Central Miami-Dade | 36 | 153.9 |
| 33134 | 9 | 153.9 |
| 33143 | 18 | 262.8 |
| 33146 | 1 | 40.7 |
| 33173 | 8 | 97.1 |
| Total Central Miami-Dade | 146 | 213.3 |
| Miami-Dade County | 1,408 | 237.1 |

Sources:

1. AHRQ Quality Indicators – Pediatric Quality Indicators, Technical Specifications, Version 3.1, March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI



Preventable Hospitalizations 2006

Chronic Obstructive Pulmonary Disease Admissions (PQI 5)

Central Miami-Dade

Legend

Admissions Rate per 100,000 Population (Age 18+)



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|----------------------|----------------------------------|
| East Central Miami-Dade | 589 | 320.9 |
| 33125 | 148 | 363.1 |
| 33128 | 60 | 1,109.6 |
| 33129 | 14 | 136.4 |
| 33130 | 43 | 236.9 |
| 33131 | 3 | 60.2 |
| 33132 | 20 | 324.4 |
| 33133 | 52 | 203.0 |
| 33135 | 118 | 399.5 |
| 33136 | 59 | 604.2 |
| 33145 | 67 | 272.8 |
| 33149 | 5 | 60.0 |
| West Central Miami-Dade | 182 | 188.4 |
| 33134 | 92 | 308.5 |
| 33143 | 39 | 156.9 |
| 33146 | 9 | 79.8 |
| 33173 | 42 | 137.1 |
| Total Central Miami-Dade | 771 | 275.2 |
| Miami-Dade County | 4,333 | 231.6 |

Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI



Preventable Hospitalizations 2006

Pediatric Gastroenteritis Admissions (PDI 16; Previously PQI 6)

Central Miami-Dade

Legend

**Admissions Rate per
100,000 Population (Age <18)**



| | Number of Admissions | Admissions per 100,000 (Age < 18) |
|---------------------------------|-------------------------|---|
| East Central Miami-Dade | 118 | 262.0 |
| 33125 | 39 | 349.4 |
| 33128 | 3 | 216.5 |
| 33129 | 5 | 314.8 |
| 33130 | 18 | 389.4 |
| 33131 | 2 | 391.6 |
| 33132 | 1 | 203.0 |
| 33133 | 7 | 123.6 |
| 33135 | 15 | 211.0 |
| 33136 | 5 | 123.6 |
| 33145 | 18 | 327.1 |
| 33149 | 5 | 169.0 |
| West Central Miami-Dade | 59 | 252.2 |
| 33134 | 19 | 324.8 |
| 33143 | 13 | 189.8 |
| 33146 | 5 | 203.4 |
| 33173 | 22 | 267.0 |
| Total Central Miami-Dade | 177 | 258.6 |
| Miami-Dade County | 1,438 | 242.1 |



Sources:

1. AHRQ Quality Indicators – Pediatric Quality Indicators, Technical Specifications, Version 3.1, March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Hypertension Admissions (PQI 7) Central Miami-Dade

Legend

Admissions Rate per
100,000 Population (Age 18+)



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|----------------------|----------------------------------|
| East Central Miami-Dade | 224 | 122.0 |
| 33125 | 69 | 169.3 |
| 33128 | 9 | 166.4 |
| 33129 | 7 | 68.2 |
| 33130 | 16 | 88.2 |
| 33131 | 3 | 60.2 |
| 33132 | 7 | 113.5 |
| 33133 | 23 | 89.8 |
| 33135 | 36 | 121.9 |
| 33136 | 19 | 194.6 |
| 33145 | 29 | 118.1 |
| 33149 | 6 | 72.0 |
| West Central Miami-Dade | 67 | 69.4 |
| 33134 | 28 | 93.9 |
| 33143 | 19 | 76.4 |
| 33146 | 2 | 17.7 |
| 33173 | 18 | 58.8 |
| Total Central Miami-Dade | 291 | 103.9 |
| Miami-Dade County | 2,098 | 112.2 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Congestive Heart Failure Admissions (PQI 8) Central Miami-Dade

Legend

**Admissions Rate per
100,000 Population (Age 18+)**



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|-------------------------|--|
| East Central Miami-Dade | 1,372 | 747.5 |
| 33125 | 343 | 841.6 |
| 33128 | 80 | 1,479.5 |
| 33129 | 57 | 555.3 |
| 33130 | 138 | 760.4 |
| 33131 | 8 | 160.6 |
| 33132 | 39 | 632.6 |
| 33133 | 160 | 624.5 |
| 33135 | 231 | 782.1 |
| 33136 | 143 | 1,464.5 |
| 33145 | 143 | 582.2 |
| 33149 | 30 | 360.0 |
| West Central Miami-Dade | 379 | 392.4 |
| 33134 | 129 | 432.6 |
| 33143 | 95 | 382.2 |
| 33146 | 21 | 186.3 |
| 33173 | 134 | 437.5 |
| Total Central Miami-Dade | 1,751 | 625.1 |
| Miami-Dade County | 10,427 | 557.4 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Low Birth Weight Admissions (PQI 9) Central Miami-Dade

Legend

**Percent All Births
(Discharges in
MDC 15 newborns
and other neonates)**



| | Number of Admissions | Percent All Births |
|---------------------------------|----------------------|--------------------|
| East Central Miami-Dade | 219 | 6.8 |
| 33125 | 41 | 5.5 |
| 33128 | 9 | 8.6 |
| 33129 | 17 | 7.9 |
| 33130 | 21 | 7.2 |
| 33131 | 19 | 11.2 |
| 33132 | 3 | 5.9 |
| 33133 | 23 | 5.7 |
| 33135 | 29 | 6.6 |
| 33136 | 34 | 10.3 |
| 33145 | 20 | 6.3 |
| 33149 | 3 | 2.2 |
| West Central Miami-Dade | 73 | 6.2 |
| 33134 | 21 | 5.5 |
| 33143 | 24 | 7.8 |
| 33146 | 9 | 7.3 |
| 33173 | 19 | 5.3 |
| Total Central Miami-Dade | 292 | 6.7 |
| Miami-Dade County | 2,275 | 6.7 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration

Preventable Hospitalizations 2006 Dehydration Admissions (PQI 10) Central Miami-Dade

Legend

**Admissions Rate per
100,000 Population (Age 18+)**



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|-------------------------|--|
| East Central Miami-Dade | 214 | 116.6 |
| 33125 | 45 | 110.4 |
| 33128 | 17 | 314.4 |
| 33129 | 12 | 116.9 |
| 33130 | 20 | 110.2 |
| 33131 | 1 | 20.1 |
| 33132 | 3 | 48.7 |
| 33133 | 27 | 105.4 |
| 33135 | 29 | 98.2 |
| 33136 | 23 | 235.6 |
| 33145 | 30 | 122.1 |
| 33149 | 7 | 84.0 |
| West Central Miami-Dade | 87 | 90.1 |
| 33134 | 34 | 114.0 |
| 33143 | 15 | 60.3 |
| 33146 | 8 | 71.0 |
| 33173 | 30 | 97.9 |
| Total Central Miami-Dade | 301 | 107.5 |
| Miami-Dade County | 1,694 | 90.6 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Bacterial Pneumonia Admissions (PQI 11) Central Miami-Dade

Legend

**Admissions Rate per
100,000 Population (Age 18+)**



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|-------------------------|--|
| East Central Miami-Dade | 822 | 447.9 |
| 33125 | 191 | 468.6 |
| 33128 | 64 | 1,183.6 |
| 33129 | 36 | 350.7 |
| 33130 | 67 | 369.2 |
| 33131 | 11 | 220.8 |
| 33132 | 28 | 454.2 |
| 33133 | 100 | 390.3 |
| 33135 | 128 | 433.4 |
| 33136 | 80 | 819.3 |
| 33145 | 104 | 423.4 |
| 33149 | 13 | 156.0 |
| West Central Miami-Dade | 347 | 359.3 |
| 33134 | 122 | 409.1 |
| 33143 | 79 | 317.8 |
| 33146 | 30 | 266.1 |
| 33173 | 116 | 378.7 |
| Total Central Miami-Dade | 1,169 | 417.3 |
| Miami-Dade County | 7,426 | 397.0 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Urinary Tract Infection Admissions (PQI 12) Central Miami-Dade

Legend

**Admissions Rate per
100,000 Population (Age 18+)**



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|-------------------------|--|
| East Central Miami-Dade | 666 | 362.9 |
| 33125 | 167 | 409.8 |
| 33128 | 51 | 943.2 |
| 33129 | 20 | 194.8 |
| 33130 | 60 | 330.6 |
| 33131 | 6 | 120.5 |
| 33132 | 11 | 178.4 |
| 33133 | 77 | 300.5 |
| 33135 | 109 | 369.0 |
| 33136 | 46 | 471.1 |
| 33145 | 110 | 447.8 |
| 33149 | 9 | 108.0 |
| West Central Miami-Dade | 213 | 220.5 |
| 33134 | 95 | 318.6 |
| 33143 | 42 | 169.0 |
| 33146 | 13 | 115.3 |
| 33173 | 63 | 205.7 |
| Total Central Miami-Dade | 879 | 313.8 |
| Miami-Dade County | 4,743 | 253.6 |

Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI



Preventable Hospitalizations 2006

Angina Admissions without Procedure (PQI 13)

Central Miami-Dade

Legend

**Admissions Rate per
100,000 Population (Age 18+)**



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|-------------------------|--|
| East Central Miami-Dade | 82 | 44.7 |
| 33125 | 14 | 34.4 |
| 33128 | 4 | 74.0 |
| 33129 | 3 | 29.2 |
| 33130 | 10 | 55.1 |
| 33131 | 1 | 20.1 |
| 33132 | 4 | 64.9 |
| 33133 | 7 | 27.3 |
| 33135 | 15 | 50.8 |
| 33136 | 15 | 153.6 |
| 33145 | 8 | 32.6 |
| 33149 | 1 | 12.0 |
| West Central Miami-Dade | 16 | 16.6 |
| 33134 | 5 | 16.8 |
| 33143 | 5 | 20.1 |
| 33146 | 2 | 17.7 |
| 33173 | 4 | 13.1 |
| Total Central Miami-Dade | 98 | 35.0 |
| Miami-Dade County | 593 | 31.7 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Uncontrolled Diabetes Admissions (PQI 14) Central Miami-Dade

Legend

**Admissions Rate per
100,000 Population (Age 18+)**



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|-------------------------|--|
| East Central Miami-Dade | 106 | 57.8 |
| 33125 | 21 | 51.5 |
| 33128 | 7 | 129.5 |
| 33129 | 1 | 9.7 |
| 33130 | 8 | 44.1 |
| 33131 | 0 | 0.0 |
| 33132 | 8 | 129.8 |
| 33133 | 17 | 66.4 |
| 33135 | 27 | 91.4 |
| 33136 | 8 | 81.9 |
| 33145 | 8 | 32.6 |
| 33149 | 1 | 12.0 |
| West Central Miami-Dade | 29 | 30.0 |
| 33134 | 15 | 50.3 |
| 33143 | 6 | 24.1 |
| 33146 | 1 | 8.9 |
| 33173 | 7 | 22.9 |
| Total Central Miami-Dade | 135 | 48.2 |
| Miami-Dade County | 1,032 | 55.2 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Adult Asthma Admissions (PQI 15) Central Miami-Dade

Legend

Admissions Rate per
100,000 Population (Age 18+)



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|----------------------|----------------------------------|
| East Central Miami-Dade | 352 | 191.8 |
| 33125 | 85 | 208.6 |
| 33128 | 26 | 480.8 |
| 33129 | 15 | 146.1 |
| 33130 | 36 | 198.4 |
| 33131 | 3 | 30.7 |
| 33132 | 11 | 178.4 |
| 33133 | 40 | 156.1 |
| 33135 | 57 | 193.0 |
| 33136 | 42 | 430.1 |
| 33145 | 37 | 150.6 |
| 33149 | 0 | 0.0 |
| West Central Miami-Dade | 100 | 103.5 |
| 33134 | 38 | 127.4 |
| 33143 | 31 | 124.7 |
| 33146 | 4 | 35.5 |
| 33173 | 27 | 88.2 |
| Total Central Miami-Dade | 452 | 161.4 |
| Miami-Dade County | 3,222 | 172.2 |



Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI

Preventable Hospitalizations 2006 Lower-extremity Amputation among Patients with Diabetes (PQI 16) Central Miami-Dade

Legend

Admissions Rate per
100,000 Population (Age 18+)



| | Number of Admissions | Admissions per 100,000 (Age 18+) |
|---------------------------------|----------------------|----------------------------------|
| East Central Miami-Dade | 80 | 43.6 |
| 33125 | 16 | 39.3 |
| 33128 | 14 | 258.9 |
| 33129 | 3 | 29.2 |
| 33130 | 9 | 49.6 |
| 33131 | 0 | 0.0 |
| 33132 | 1 | 16.2 |
| 33133 | 10 | 39.0 |
| 33135 | 12 | 40.6 |
| 33136 | 8 | 81.9 |
| 33145 | 5 | 20.4 |
| 33149 | 2 | 24.0 |
| West Central Miami-Dade | 29 | 30.0 |
| 33134 | 11 | 36.9 |
| 33143 | 9 | 36.2 |
| 33146 | 0 | 0.0 |
| 33173 | 9 | 29.4 |
| Total Central Miami-Dade | 109 | 38.9 |
| Miami-Dade County | 813 | 43.5 |

Sources:

1. AHRQ Quality Indicators – Prevention Quality Indicators Technical Specifications, Version 3.1., March 12, 2007
2. Hospital Inpatient Data File, Calendar Year 2006, Florida Agency for Health Care Administration
3. Community Sourcebook America, 2006 Edition, ESRI